



HS-100 NOISE PROTECTING HEADSET



Comfortable headset with wide-band noise attenuation is suitable for use in air and rail transport, industrial worksite as well as Pro Audio. Equipped with RFI filtered noise-cancelling electret microphone that provides good speech transmission in high noise environments. Microphone is featured with an adjustable boom to permit precise placement.

Earphone speakers provide high output with low distortion.

Features:

- Great Acoustic Performance
- Superb Ambient Noise Rejection
- Boom Mic Switchable to Right Or Left Side
- Lightweight and Comfortable
- Built-in Loudspeaker output limiters

Specifications:

Microphone	Style MH-12
Generating Element:	Electret Condenser
Polar Pattern:	Noise Canceling
Sensitivity (1 kHz @ 1/4" distance)	-29 dB re 1 V/Pa (Nominal, 5V bias & 10 kOhm RL)
2-wire:	
Frequency Response:	300 Hz to 6 kHz
Bias Voltage:	2 Vdc to 12 Vdc
Impedance:	3k Ohm (typical)
Loudspeaker	
Frequency Range:	300 Hz to 10 kHz
Output:	104 dB SPL @ 1 mW 1 kHz
Impedance:	300 ohm each, (150 ohm parallel)
General	
Cable length:	1.2 m
Color:	Black
Standard Accessories:	Windscreen